

A. P. MULLER Organ Factory

Pipe Organ No.	R-957	Date	March 10, 1976
For	FORT VALLEY UNITED METHODIST CHURCH, FORT VALLEY, GEORGIA		
Action	Electro-Pneumatic	Console	Detached - All Electric
Case No.	Present - no change	Finish	To customer's selection
Decorations	None	Motor	Present 1 HP Spencer
Width of Key-bed	Standard	Stop Controls	Draw Knobs
Nr. Manuals	TWO AND PEDAL	Wind Pressure	
To be Completed	September 1, 1976	Blower Pipe furnished by Purchaser	

SPECIFICATIONS

FOR

REBUILDING, CHANGING TONALLY AND ADDING TO PRESENT STEERE ORGAN

- CONSOLE** Install new two manual, all electric, detached draw knob style console with roll top, pedal keyboard and organ bench.
- MANUAL CHESTS** Install new action for Great Organ.
Recover 484 manual pipe pouches.
Recover 476 stop action checks.
Recover two 61 note primary station and install new magnets.
Recover 8 stop action primaries and install new magnets.
Recover one 28 note pedal primary and install new magnets.
Rework and/or install new keyboard/rackboard assemblies as required for tonal changes.
- OFFSET ACTIONS** Recover Swell & Trompette action #1-12 and install new magnets.
- CHIMES** Install new chimes and action - 21 tubes.
- ~~**CONTACT BOX** Install new single conductor contact box for
Swell & Trompette #1-12~~
- SWITCHES** Install new electro-pneumatic switches with stop action for the following:
- New Great division - as required
Swell & Trompette - ~~28~~ ²⁰ notes
Swell & Pedal - 20 notes
- PEDAL ORGAN** Install new 16 ~~board~~ ^{board} action #33-44
Recover the following actions and install new magnets:
- | | |
|------------|-------|
| 16 Bourdon | #1-32 |
| 16 Gedackt | #1-12 |
- EXPRESSION** Install new accordion action and trace rods.

RECOVERIES Recover the following recoveries and install new certain valves as required:

- One 2'-6" x 2'-6" manual
- One 2'-0" x 2'-0" pedal
- One 2'-6" x 4'-0" blower (no job)

TRUCKS Install one new electric-pneumatic truck.

PIPES Install the following new pipes:

Great	8	Principal	61 pipes
Great	8	Sub-fifth	61 pipes
Great	8	Octave	61 pipes
Great	11-11 1/2	Mixture	133 pipes
Small	2	Ficcato	21 pipes (1/2-11)
Small	1-1/2	Quint	61 pipes
Small	2	Trumpets	61 pipes
Pedal	26	Bourdon	12 pipes (1/2-11)

Remove all present pipes being removed.
 Repair all wood pipe stoppers.
 Install modern tuning slides on metal pipes being removed.

WIRE Install new plastic covered cable between console and organ.
 Install new section current wires between console, organ and power unit.

WIND CHANGES Install new 10-15 Valve, 20' diameter 20 organ power unit.

BLOWER Reuse 1 HP Spruce motor and blower without change.
 Install new 12" diameter flexible connection with draw bands.

REMARKS All parts specified above to be rebuilt to be returned to the factory of H. P. Miller, Inc. at Hagerstown, Maryland.

All parts from present instrument not required to complete this program become the property of H. P. Miller, Inc.

**SPECIFICATIONS
 FOR
 CONSOLE AND ORGAN**

MANUAL COMPASS CC to C4, 61 notes
PEDAL COMPASS CCC to G, 32 notes
WIND PRESSURE
PITCH A-440 @ 70°F

GREAT ORGAN - Unenclosed

1	8	Principal.....new pipes and action.....61 pipes
2	8	Rohrflöte.....new pipes and action.....61 pipes
3	4	Octave.....new pipes and action.....61 pipes
4	II-III	Mixturenew pipes and action.....150 pipes
5		ChinesMayland tubes and electric action, relay transformer and volume control A to F, #22 to 42.....21 tubes

SWELL ORGAN - Enclosed

6	8	Gedeckt.....present pipes and action.....61 pipes
7	8	Salicional.....present pipes and action.....61 pipes
8	8	Voix Celeste 10.....present pipes and action60 pipes
9	8	Dulcianapresent Great pipes and action.....61 pipes
10	4	Genshorn.....present Great pipes and action.....61 pipes
11	2	Piccolo.....#1-37 present Great Melodia pipes #25-61, #38-61 new pipes; present Melodia action.....61 pipes
12	1-1/3	Quint.....new pipes; present 4 Flute action.....61 pipes
13	8	Trompette.....new pipes; present 8 Open Diapason action...61 pipes
14		Tremolo

* PEDAL ORGAN

15	16	Bourdon.....#1-32 present pipes and action; #33-44 new pipes and action44 pipes
16	16	Gedeckt.....#1-12 present pipes and action; 20 from #6.....32 notes
17	8	Principal.....from #1.....32 notes
18	8	Flute.....from #15.....32 notes
19	4	Octave.....from #1.....32 notes
20		Blankprovide slide in console.....32 notes

(* Pedal Organ playable thru slides in console

COUPLERS

21	Great to Pedal	27	Great Unison Off
22	Swell to Pedal	28	Great 4
23	Swell to Pedal 4	29	Swell 16
24	Swell to Great 16	30	Swell Unison Off
25	Swell to Great	31	Swell 4
26	Swell to Great 4		

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5-6
General Cancel

Affecting Full Organ

PEDAL MOVEMENTS

Great to Pedal reversible

Balanced Expression Pedal - Swell Organ (10 contacts - reverse system)

Balanced Crescendo Pedal - Knaife Organ - with indicator light (green jewel)

Tutti reversible - with indicator light (red jewel)

ACCESSORIES

Concave, radiating pedal cleavier

Organ bench with music shelf

Transparent music rack with light

Pedal light

Momentary contact motor starter switch

Present motor and blower

New DC organ power unit

RVK/mr

3/18/76